| <u>Set Name Query</u><br>ide by side |   | Hit Count Set Name |            |
|--------------------------------------|---|--------------------|------------|
| DB=USPT; $PLUR=YES$ ; $OP=ADJ$       |   | •                  | result set |
| <u>L11</u>                           | boot file same template same network  | 1                  | L11        |
| <u>L10</u>                           | attribute same boot file same request   | 0                  | <u>L10</u> |
| <u>L9</u>                            | extract\$ same attribute same boot file same request                            | 0                  | <u>L9</u>  |
| <u>1.8</u>                           | extract\$ same attribute same boot file same request                            | 0                  | <u>L8</u>  |
| <u>L</u> 7                           | L3 same request   | 19                 | <u>L7</u>  |
| <u>L6</u>                            | L3 same request same value  | 0                  | <u>L6</u>  |
| L5                                   | L3 same template  | 5                  | 1.5        |
| <u>L4</u>                            | L3 same attribute   | 2                  | L4         |
| <u>L3</u>                            | (generat\$ or creat\$) same boot file   | 57                 | L3         |
| <u>L2</u>                            | (generat\$ or creat\$) same boot file same attribute same request same template | 0                  | <u>L2</u>  |
| <u>L1</u>                            | provision\$ same network same boot file   | 5                  | LI         |

## END OF SEARCH HISTORY

| Set Nam<br>side by sid    | <u>e Query</u><br>le                   | Hit Count | Set Name<br>result set |  |
|---------------------------|--|-----------|------------------------|--|
| DB=PGPB; PLUR=YES; OP=ADJ |  |           |                        |  |
| <u>L16</u>                | L15 and L3                             | . 3       | <u>L16</u>             |  |
| <u>L15</u>                | Danforth.inv.                          | 25        | <u>L15</u>             |  |
| <u>L.14</u>               | L3 and L10                             | 1         | <u>L14</u>             |  |
| <u>L13</u>                | L3 and L9                              | 14        | <u>L13</u>             |  |
| 1,12                      | L3 and L8                              | 6         | <u>L12</u>             |  |
| T, J, J                   | L3 and L7                              | 2         | LU                     |  |
| L10                       | 713/100.ccls.                          | 221       | L10                    |  |
| <u>L9</u>                 | 713/1-2.ccls.                          | 1389      | <u>L9</u>              |  |
| <u>L</u> 8                | 709/217-222.ccls.                      | 5986      | <u>L.8</u>             |  |
| <u>L.7</u>                | 709/202-203.ccls.                      | 3913      | <u>L7</u>              |  |
| <u>L6</u>                 | L3 same identifier                     | 4         | <u>L6</u>              |  |
| <u>L5</u>                 | L3 same attribute                      | 2         | <u>L5</u>              |  |
| <u>L4</u>                 | L3 same template                       | 2         | <u>L4</u>              |  |
| . <u>L.3</u>              | (generat\$ or creat\$) same boot file  | 62        | <u>L3</u>              |  |
| <u>L2</u>                 | boot file same template same attribute | 1         | <u>L2</u>              |  |
| <u>L1</u>                 | (generat\$ or creat\$) with boot file  | 19        | <u>L1</u>              |  |
|                           |  |           |                        |  |

END OF SEARCH HISTORY